INDEX BY AUTHOR

	Issue No.	Page
Al-Yahya, K.M. Application of the partial Karhunen-Loeve transform to supress random noise in seismic sections	1	77
Anderson, W.L. Comment on "Optimized fast Hankel transform filters" by Niels Bøie Christensen	3	445
Andrieux, P., *see* Tabbagh, A.		
Apparao, A., Gangadhara Rao, T. and Subrahmanya Sarma, V. Field results with downward continuation technique in induced polarization profiling using point electrodes	1	119
Balch, A.H., Chang, H., Hofland, G.S., Ranzinger, K.A. and Erdemir, C. The use of forward- and back-scattered P-, S- and converted waves in cross-borehole imaging	7	887
Barker, A.S., Jr, *see* Russell, R.D.		
Behle, A., *see* Tessmer, G.		
Benderitter, Y., *see* Tabbagh, A.		
Bernabini, M. and Cardarelli, E. Geoelectrical surveys of dipping structures	7	953
Busby, J.P., Peart, R.J., Green, C.A., Ogilvy, R.D. and Williamson, J.P. A search for direct hydrocarbon indicators in the Formby area	5	691
Cardarelli, E., *see* Bernabini, M.		
Chang, H., *see* Balch, A.H.		
Christensen, N.B. Reply to comment by Walter L. Anderson	3	449
Clayton, C.R.I., Hope, V.S. and Howe, S.J. Comment on "Seismic tomographic imaging of a buried concrete target" by I. Bishop and P. Styles,	5	691
Costa, J., *see* Schoenberg, M.		
Crampin, S., *see* Macbeth, C.; *see also* Yardley, G.S.		
Csókás, J., *see* Dobróka, M.		
Cuadra, A., *see* Ogilvy, R.D.		
De Bazelaire, E., *see* Thore, P.		
Decriaud, J.P., *see* Tabbagh, A.		
Den Rooijen, H.P.G.M. Stacking of P-SV seismic reflection data using dip moveout	5	585
Dobróka, M., Gyulai, Á., Ormos, T, Csókás, J. and Dresen, L. Joint inversion of seismic and geoelectric data recorded in an underground coal mine	5	643
Dresen, L., *see* Dobróka, M.		
Drijkoningen, G.G. Tunnelling and the generalized ray method in piecewise homogeneous media	6	757
Erdemir, C., *see* Balch, A.H.		
Ferber, R.-G. A filter, delay and spread technique for 3D DMO	6	737
Ferber, R.-G. and Koitka, H. Sequential Wiener Deconvolution to improve seismic resolution	2	183
Gangadhara Rao, T., *see* Apparao, A.		
Gelius, L.-J., Stamnes, J.J. and Heier, H. Pulse distortion in caustic regions	1	51
Gibson, R.L., Jr, Sena, A.G. and Toksöz, M.N. Paraxial ray tracing in 3D inhomogeneous, anisotropic media	4	473
Green, C.A., *see* Busby, J.P.		
Guerin, R., *see* Tabbagh, A.		
Gyulai, Á., *see* Dobróka, M.		

INDEX BY AUTHOR

	Issue No.	Page
Al-Yahya, K.M. Application of the partial Karhunen-Loeve transform to supress random noise in seismic sections	1	77
Anderson, W.L. Comment on "Optimized fast Hankel transform filters" by Niels Bøie Christensen	3	445
Andrieux, P., *see* Tabbagh, A.		
Apparao, A., Gangadhara Rao, T. and Subrahmanya Sarma, V. Field results with downward continuation technique in induced polarization profiling using point electrodes	1	119
Balch, A.H., Chang, H., Hofland, G.S., Ranzinger, K.A. and Erdemir, C. The use of forward- and back-scattered P-, S- and converted waves in cross-borehole imaging	7	887
Barker, A.S., Jr, *see* Russell, R.D.		
Behle, A., *see* Tessmer, G.		
Benderitter, Y., *see* Tabbagh, A.		
Bernabini, M. and Cardarelli, E. Geoelectrical surveys of dipping structures	7	953
Busby, J.P., Peart, R.J., Green, C.A., Ogilvy, R.D. and Williamson, J.P. A search for direct hydrocarbon indicators in the Formby area	5	691
Cardarelli, E., *see* Bernabini, M.		
Chang, H., *see* Balch, A.H.		
Christensen, N.B. Reply to comment by Walter L. Anderson	3	449
Clayton, C.R.I., Hope, V.S. and Howe, S.J. Comment on "Seismic tomographic imaging of a buried concrete target" by I. Bishop and P. Styles,	5	691
Costa, J., *see* Schoenberg, M.		
Crampin, S., *see* Macbeth, C.; *see also* Yardley, G.S.		
Csókás, J., *see* Dobróka, M.		
Cuadra, A., *see* Ogilvy, R.D.		
De Bazelaire, E., *see* Thore, P.		
Decriaud, J.P., *see* Tabbagh, A.		
Den Rooijen, H.P.G.M. Stacking of P-SV seismic reflection data using dip moveout	5	585
Dobróka, M., Gyulai, Á., Ormos, T, Csókás, J. and Dresen, L. Joint inversion of seismic and geoelectric data recorded in an underground coal mine	5	643
Dresen, L., *see* Dobróka, M.		
Drijkoningen, G.G. Tunnelling and the generalized ray method in piecewise homogeneous media	6	757
Erdemir, C., *see* Balch, A.H.		
Ferber, R.-G. A filter, delay and spread technique for 3D DMO	6	737
Ferber, R.-G. and Koitka, H. Sequential Wiener Deconvolution to improve seismic resolution	2	183
Gangadhara Rao, T., *see* Apparao, A.		
Gelius, L.-J., Stamnes, J.J. and Heier, H. Pulse distortion in caustic regions	1	51
Gibson, R.L., Jr, Sena, A.G. and Toksöz, M.N. Paraxial ray tracing in 3D inhomogeneous, anisotropic media	4	473
Green, C.A., *see* Busby, J.P.		
Guerin, R., *see* Tabbagh, A.		
Gyulai, Á., *see* Dobróka, M.		

	Issue No.	Page
Heier, H., *see* Gelius, L.-J.		
Helgesen, J. Prestack inversion of group-filtered seismic data	3	313
Herman, G.C., *see* Van Rijssen, E.P.F.		
Hofland, G.S., *see* Balch, A.H.		
Hofman, J., *see* Wensink, W.A.		
Hope, V.S., *see* Clayton, C.R.I.		
Howe, S.J., *see* Clayton, C.R.I.		
Huang, H. and Palacky, G.J. Damped least-squares inversion of time-domain airbourne EM data based on singular value decomposition	6	827
Hurley, D.G. and Siew, P.F. A first-order correction to the theory for the electromagnetic response of a thin conducting sheet	4	527
Jackson, G.M., Mason, I.M. and Lee, D. Multicomponent common-receiver gather migration of single-level walk-away seismic profiles	8	1015
Jackson, P.D., *see* Ogilvy, R.D.		
Jongmans, D. Near-source pulse propagation: application to Q-determination	7	943
Kahle, H.-G. *see* Klingelé, E.E.		
Kennett, B.L.N., *see* Sambridge, M.S.		
Klimentos, T. Geometric corrections in attenuation measurements	2	193
Klingelé, E.E., Marson, I. and Kahle, H.-G. Automatic interpretation of gravity gradiometric data in two dimensions: vertical gradient	3	407
Koitka, H., *see* Ferber, R.-G.		
Kwok, Y.K. Gravity gradient tensors due to a polyhedron with polygonal facets	3	435
Landa, E., *see* Reshef, M.		
Lee, A.C., *see* Ogilvy, R.D.		
Lee, D., *see* Jackson, G.M.		
Li, Y. and Oedenburg, D.W. Aspects of charge accumulation in d.c. resistivity experiments	6	803
Macbeth, C. and Crampin, S. Comparison of signal processing techniques for estimating the effects of anisotropy	3	357
Macbeth, C. and Crampin, S. Examination of a spectral method for measuring the effects of anisotropy	5	667
Marson, I., *see* Klingelé, E.E.		
Martinez, R.D. and McMechan, G.A. τ–p seismic data for viscoelastic media – Part 1: Modelling	2	141
Martinez, R.D. and McMechan, G.A. τ–p seismic data for viscoelastic media – Part 2: Linearized inversion	2	157
Mason, I.M., *see* Jackson, G.M.		
Mazzotti, A. Amplitude, phase and frequency versus offset applications	7	863
McGee, T.M. Modelling 1D wave propagation in a system of absorbing layers	1	29
McGee, T.M. Reply to comment by Alasdair G. McKay	7	971
McKay, A.G. Comment on "The use of marine seismic profiling for environmental assessment" by T. M. McGee	7	967
McMechan, G.A., *see* Martinez, R.D.		
Meyer, H.G. Some remarks on noise stability in dynamic inversion of reflection seismic data	8	1005
Monte, J.L., *see* Ogilvy, R.D.		

	Issue No.	Page
Mosegaard, K. and Vestergaard, P.D. A simulated annealing approach to seismic model optimization with sparse prior information	5	599
Mosegaard, K., *see also* Vestergaard, P.D.		
Ogilvy, R.D., Cuadra, A., Jackson, P.D. and Monte, J.L. Detection of an air-filled drainage gallery by the VLF resistivity method	6	845
Ogilvy, R.D. and Lee, A.C. Interpretation of VLF-EM in-phase data using current density pseudosections	4	567
Ogilvy, R.D., *see also* Busby, J.P.		
Oldenburg, D.W., *see* Li, Y.		
Ormos, T., *see* Dobróka, M.		
Palacky, G.J. Application of the multifrequency horizontal-loop EM method in overburden investigations	8	1061
Palacky, G.J., *see also* Huang, H.		
Palmer, D. The resolution of narrow low-velocity zones with the generalized reciprocal method	8	1031
Peart, R.J., *see* Busby, J.P.		
Ranzinger, K.A., *see* Balch, A.H.		
Ravid, T., *see* Reshef, M.		
Reilly, J.M. Integrated interpretation, 3D map migration and VSP modelling project, northern U.K. Southern Gas Basin	2	253
Reshef, M., Landa, E. and Ravid, T. Elastic parameter estimation by coherency optimization	2	241
Russell, R.D. and Barker, A.S., Jr. Seismo-electric exploration: expected signal amplitudes	1	105
Sambridge, M.S., Tarantola, A. and Kennett, B.L.N. An alternative strategy for non-linear inversion of seismic waveforms	6	723
Schimschal, U. Integrated exploration for low-temperature geothermal resources in the Honey Lake basin, California	2	279
Schniggenfittig, H., *see* Stephan, A.		
Schoenberg, M. Layered permeable systems	2	219
Schoenberg, M. and Costa, J. The insensitivity of reflected SH waves to anisotropy in an underlying layered medium	8	985
Sena, A.G., *see* Gibson R.L., Jr		
Siew, P.F., *see* Hurley, D.G.		
Spagnolini, U. Adaptive picking of refracted first arrivals	3	293
Sri Niwas. Transformation of line-source resistivity data to point-source data and vice versa using the matrix method	1	95
Stamnes, J.J., *see* Gelius, L.-J.		
Stephan, A., Schniggenfittig, H. and Strack, K.-M. Long-offset transient EM sounding north of the Rhine–Ruhr coal district, Germany	4	505
Strack, K.-M., *see* Stephan, A.		
Subrahmanya Sarma, V., *see* Apparao, A.		
Tabbagh, A., Benderitter, Y., Andrieux, P., Decriaud, J.P. and Guerin, R. VLF resistivity mapping and verticalization of the electric field	8	1083
Tarantola, A., *see* Sambridge, M.S.		
Tessmer, G. and Behle, A. Conversion points and traveltimes of converted waves in parallel dipping layers	3	387

	Issue No.	Page
Thore, P. and De Bazelaire, E. Analysis of the common midpoint gather by decomposition into elementary wavefronts	4	453
Toksöz, M.N., *see* Gibson, R.L.		
Tonn, R. The determination of the seismic quality factor Q from VSP data: a comparison of different computational methods	1	1
Van Deen, J.K., *see* Wensink, W.A.		
Van Rijssen, E.P.F. and Herman, G.C. Resolution analysis of band-limited and offset-limited seismic data for plane-layered subsurface models	1	61
Vestergaard, P.D. and Mosegaard, K. Inversion of post-stack seismic data using simulated annealing	5	613
Vestergaard, P.D., *see also* Mosegaard, K.		
Walden, A.T. Making AVO sections more robust	7	915
Walden, A.T. Wavelet estimation using the multitaper method	5	625
Wensink, W.A., Hofman, J. and Van Deen, J.K. Measured reflection strengths of underwater pipes irradiated by a pulsed horizontal dipole in air: comparison with continuous plane-wave scattering theory	4	543
Williamson, J.P., *see* Busby, J.P.		
Yardley, G.S. and Crampin, S. Extensive-dilatancy anisotropy: relative information in VSPs and reflection surveys	3	337
Yedlin, M.J., *see* Zhao, S.K.		
Zhao, S.K. and Yedlin, M.J. Chebyshev expansions for the solution of the forward gravity problem	6	783